

519 #19



OIPE

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/957,458B

DATE: 05/13/2003

TIME: 16:15:14

Input Set : A:\US09957458.ST25.txt

Output Set: N:\CRF4\05132003\I957458B.raw

See page 6,

3 <110> APPLICANT: Chen, Una  
5 <120> TITLE OF INVENTION: Method for growing stem cells  
7 <130> FILE REFERENCE: P66567US0  
9 <140> CURRENT APPLICATION NUMBER: US 09/957,458B  
10 <141> CURRENT FILING DATE: 2001-09-21  
12 <150> PRIOR APPLICATION NUMBER: PCT/EP00/08247  
13 <151> PRIOR FILING DATE: 2000-08-24  
15 <150> PRIOR APPLICATION NUMBER: EP 99116533  
16 <151> PRIOR FILING DATE: 1999-08-24  
18 <160> NUMBER OF SEQ ID NOS: 10  
20 <170> SOFTWARE: PatentIn version 3.2  
22 <210> SEQ ID NO: 1  
23 <211> LENGTH: 7969  
24 <212> TYPE: DNA  
25 <213> ORGANISM: Artificial Sequence  
27 <220> FEATURE:  
28 <223> OTHER INFORMATION: Vector for transforming supporting cell with a foreign to  
express  
29 a gene product of interest  
32 <220> FEATURE:  
33 <221> NAME/KEY: misc\_feature  
34 <222> LOCATION: (39)..(41)  
35 <223> OTHER INFORMATION: n is a, c, g, or t  
37 <220> FEATURE:  
38 <221> NAME/KEY: misc\_feature  
39 <222> LOCATION: (87)..(87)  
40 <223> OTHER INFORMATION: n is a, c, g, or t  
42 <220> FEATURE:  
43 <221> NAME/KEY: misc\_feature  
44 <222> LOCATION: (650)..(650)  
45 <223> OTHER INFORMATION: n is a, c, g, or t  
47 <220> FEATURE:  
48 <221> NAME/KEY: misc\_feature  
49 <222> LOCATION: (657)..(657)  
50 <223> OTHER INFORMATION: n is a, c, g, or t  
52 <220> FEATURE:  
53 <221> NAME/KEY: misc\_feature  
54 <222> LOCATION: (679)..(679)  
55 <223> OTHER INFORMATION: n is a, c, g, or t  
57 <220> FEATURE:  
58 <221> NAME/KEY: misc\_feature  
59 <222> LOCATION: (723)..(723)  
60 <223> OTHER INFORMATION: n is a, c, g, or t  
62 <220> FEATURE:

ENTERED

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/957,458B

DATE: 05/13/2003

TIME: 16:15:14

Input Set : A:\US09957458.ST25.txt

Output Set: N:\CRF4\05132003\I957458B.raw

63 <221> NAME/KEY: misc\_feature  
64 <222> LOCATION: (762)..(762) ✓  
65 <223> OTHER INFORMATION: n is a, c, g, or t  
67 <220> FEATURE:  
68 <221> NAME/KEY: misc\_feature  
69 <222> LOCATION: (764)..(764) ✓  
70 <223> OTHER INFORMATION: n is a, c, g, or t  
72 <220> FEATURE:  
73 <221> NAME/KEY: misc\_feature  
74 <222> LOCATION: (792)..(792) ✓  
75 <223> OTHER INFORMATION: n is a, c, g, or t  
77 <220> FEATURE:  
78 <221> NAME/KEY: misc\_feature  
79 <222> LOCATION: (834)..(834) ✓  
80 <223> OTHER INFORMATION: n is a, c, g, or t  
82 <220> FEATURE:  
83 <221> NAME/KEY: misc\_feature  
84 <222> LOCATION: (858)..(858) ✓  
85 <223> OTHER INFORMATION: n is a, c, g, or t  
87 <220> FEATURE:  
88 <221> NAME/KEY: misc\_feature  
89 <222> LOCATION: (863)..(863) ✓  
90 <223> OTHER INFORMATION: n is a, c, g, or t  
92 <220> FEATURE:  
93 <221> NAME/KEY: misc\_feature  
94 <222> LOCATION: (874)..(874) ✓  
95 <223> OTHER INFORMATION: n is a, c, g, or t  
97 <220> FEATURE:  
98 <221> NAME/KEY: misc\_feature  
99 <222> LOCATION: (880)..(880) ✓  
100 <223> OTHER INFORMATION: n is a, c, g, or t  
102 <220> FEATURE:  
103 <221> NAME/KEY: misc\_feature  
104 <222> LOCATION: (891)..(891) ✓  
105 <223> OTHER INFORMATION: n is a, c, g, or t  
107 <220> FEATURE:  
108 <221> NAME/KEY: misc\_feature  
109 <222> LOCATION: (904)..(904) ✓  
110 <223> OTHER INFORMATION: n is a, c, g, or t  
112 <220> FEATURE:  
113 <221> NAME/KEY: misc\_feature  
114 <222> LOCATION: (918)..(918) ✓  
115 <223> OTHER INFORMATION: n is a, c, g, or t  
117 <220> FEATURE:  
118 <221> NAME/KEY: misc\_feature  
119 <222> LOCATION: (927)..(927) ✓  
120 <223> OTHER INFORMATION: n is a, c, g, or t  
122 <220> FEATURE:  
123 <221> NAME/KEY: misc\_feature

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/957,458B

DATE: 05/13/2003

TIME: 16:15:14

Input Set : A:\US09957458.ST25.txt

Output Set: N:\CRF4\05132003\I957458B.raw

124 <222> LOCATION: (929)..(929) ✓  
125 <223> OTHER INFORMATION: n is a, c, g, or t  
127 <220> FEATURE:  
128 <221> NAME/KEY: misc\_feature  
129 <222> LOCATION: (935)..(935)  
130 <223> OTHER INFORMATION: n is a, c, g, or t  
132 <220> FEATURE:  
133 <221> NAME/KEY: misc\_feature  
134 <222> LOCATION: (944)..(944) ✓  
135 <223> OTHER INFORMATION: n is a, c, g, or t  
137 <220> FEATURE:  
138 <221> NAME/KEY: misc\_feature  
139 <222> LOCATION: (954)..(954) ✓  
140 <223> OTHER INFORMATION: n is a, c, g, or t  
142 <220> FEATURE:  
143 <221> NAME/KEY: misc\_feature  
144 <222> LOCATION: (959)..(959) ✓  
145 <223> OTHER INFORMATION: n is a, c, g, or t  
147 <220> FEATURE:  
148 <221> NAME/KEY: misc\_feature  
149 <222> LOCATION: (967)..(969) ✓  
150 <223> OTHER INFORMATION: n is a, c, g, or t  
152 <220> FEATURE:  
153 <221> NAME/KEY: misc\_feature  
154 <222> LOCATION: (972)..(972) ✓  
155 <223> OTHER INFORMATION: n is a, c, g, or t  
157 <220> FEATURE:  
158 <221> NAME/KEY: misc\_feature  
159 <222> LOCATION: (994)..(994) ✓  
160 <223> OTHER INFORMATION: n is a, c, g, or t  
162 <220> FEATURE:  
163 <221> NAME/KEY: misc\_feature  
164 <222> LOCATION: (1003)..(1003) ✓  
165 <223> OTHER INFORMATION: n is a, c, g, or t  
167 <220> FEATURE:  
168 <221> NAME/KEY: misc\_feature  
169 <222> LOCATION: (1012)..(1012) ✓  
170 <223> OTHER INFORMATION: n is a, c, g, or t  
172 <220> FEATURE:  
173 <221> NAME/KEY: misc\_feature  
174 <222> LOCATION: (1026)..(1027) ✓  
175 <223> OTHER INFORMATION: n is a, c, g, or t  
177 <220> FEATURE:  
178 <221> NAME/KEY: misc\_feature  
179 <222> LOCATION: (1038)..(1038) ✓  
180 <223> OTHER INFORMATION: n is a, c, g, or t  
182 <220> FEATURE:  
183 <221> NAME/KEY: misc\_feature  
184 <222> LOCATION: (1040)..(1041)

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/957,458B

DATE: 05/13/2003

TIME: 16:15:14

Input Set : A:\US09957458.ST25.txt

Output Set: N:\CRF4\05132003\I957458B.raw

185 <223> OTHER INFORMATION: n is a, c, g, or t  
187 <220> FEATURE:  
188 <221> NAME/KEY: misc\_feature  
189 <222> LOCATION: (1047)..(1047) ✓  
190 <223> OTHER INFORMATION: n is a, c, g, or t  
192 <220> FEATURE:  
193 <221> NAME/KEY: misc\_feature  
194 <222> LOCATION: (1050)..(1050) ✓  
195 <223> OTHER INFORMATION: n is a, c, g, or t  
197 <220> FEATURE:  
198 <221> NAME/KEY: misc\_feature  
199 <222> LOCATION: (1066)..(1066) ✓  
200 <223> OTHER INFORMATION: n is a, c, g, or t  
202 <220> FEATURE:  
203 <221> NAME/KEY: misc\_feature  
204 <222> LOCATION: (1068)..(1068) ✓  
205 <223> OTHER INFORMATION: n is a, c, g, or t  
207 <220> FEATURE:  
208 <221> NAME/KEY: misc\_feature  
209 <222> LOCATION: (1070)..(1070) ✓  
210 <223> OTHER INFORMATION: n is a, c, g, or t  
212 <220> FEATURE:  
213 <221> NAME/KEY: misc\_feature  
214 <222> LOCATION: (1076)..(1076) ✓  
215 <223> OTHER INFORMATION: n is a, c, g, or t  
217 <220> FEATURE:  
218 <221> NAME/KEY: misc\_feature  
219 <222> LOCATION: (1104)..(1104) ✓  
220 <223> OTHER INFORMATION: n is a, c, g, or t  
222 <220> FEATURE:  
223 <221> NAME/KEY: misc\_feature  
224 <222> LOCATION: (1114)..(1115) ✓  
225 <223> OTHER INFORMATION: n is a, c, g, or t  
227 <220> FEATURE:  
228 <221> NAME/KEY: misc\_feature  
229 <222> LOCATION: (1117)..(1117) ✓  
230 <223> OTHER INFORMATION: n is a, c, g, or t  
232 <220> FEATURE:  
233 <221> NAME/KEY: misc\_feature  
234 <222> LOCATION: (1120)..(1120) ✓  
235 <223> OTHER INFORMATION: n is a, c, g, or t  
237 <220> FEATURE:  
238 <221> NAME/KEY: misc\_feature  
239 <222> LOCATION: (1123)..(1123) ✓  
240 <223> OTHER INFORMATION: n is a, c, g, or t  
242 <220> FEATURE:  
243 <221> NAME/KEY: misc\_feature  
244 <222> LOCATION: (1126)..(1126) ✓  
245 <223> OTHER INFORMATION: n is a, c, g, or t

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/957,458B

DATE: 05/13/2003

TIME: 16:15:15

Input Set : A:\US09957458.ST25.txt

Output Set : N:\CRF4\05132003\I957458B.raw

247 <220> FEATURE:  
 248 <221> NAME/KEY: misc\_feature  
 249 <222> LOCATION: (1133)..(1133)  
 250 <223> OTHER INFORMATION: n is a, c, g, or t  
 252 <220> FEATURE:  
 253 <221> NAME/KEY: misc\_feature  
 254 <222> LOCATION: (1138)..(1138)  
 255 <223> OTHER INFORMATION: n is a, c, g, or t  
 257 <220> FEATURE:  
 258 <221> NAME/KEY: misc\_feature  
 259 <222> LOCATION: (1149)..(1149)  
 260 <223> OTHER INFORMATION: n is a, c, g, or t  
 262 <220> FEATURE:  
 263 <221> NAME/KEY: misc\_feature  
 264 <222> LOCATION: (1153)..(1153)  
 265 <223> OTHER INFORMATION: n is a, c, g, or t  
 267 <220> FEATURE:  
 268 <221> NAME/KEY: misc\_feature  
 269 <222> LOCATION: (1169)..(1174)  
 270 <223> OTHER INFORMATION: n is a, c, g, or t  
 272 <220> FEATURE:  
 273 <221> NAME/KEY: misc\_feature  
 274 <222> LOCATION: (1664)..(1668)  
 275 <223> OTHER INFORMATION: n is a, c, g, or t  
 277 <400> SEQUENCE: 1

W--> 278 gctagcgatt taggtgacac tatagaatag atotogacnn ngtcaccct agagtcgagc 60  
 280 tgtgacggtc cttacaatga aatgcantctg gggttatcttc ttctgatgag caggggttac 120  
 282 aggtaagggg ctccaagtc ccaaacttga ggggtccataa actctgtgac agtggcaatc 180  
 284 actttgcctt tctttctaca ggggtgaatt cggctttcac agagcattca ccgctgaccc 240  
 286 ctcaccgtcg ggacctctgt agccgctcta tctggctagc aaggaagatt cgttcagacc 300  
 288 ttgactgctc ttacggaatc ctatgtaagt tgcctatctt gctgttatct gttttccctt 360  
 290 catctttttt gatccagcaa cttaccatca cgcctcagct ccattaccaa ttgtgaaagc 420  
 292 tctaatacata tagtcattca tataggttat ttgacatggg cccttccctt gaggaacccc 480  
 294 atgtgacttt attttcttcc tctgggctgt ttaggagatg aagttacttg aatgagaaaa 540  
 296 tatatatgga gttctagaaa ggattgggtt atatgtcttg gaggtatctt caaaatttat 600  
 298 ttggccatat attctgaata ctacctagaa cagattagcc atgggccctn tgggttnttc 660  
 300 ataagccatt gttctgaant ttttagctt tgtaaatgaa aggtttatgg gataggaaga 720  
 302 gtnctatgaa cgtgggagga atttgtaaat cctaccaatt tntnctatat agcattagcc 780  
 304 cccacctttt antattctgc atcaaaagta agattgtgtc taaagagaaa ggtnagctat 840  
 306 caaaaggact cctataanat tcnttggaag cttntggaan tgtcaaattt ntttgagcta 900  
 308 attnttgagag ttccaaantt tgtcttntna cagtnaaggg ggancctcat tcanatttnc 960  
 310 cccctnnng anaatgcttg ggggaaaaaa cctnccaacc ccnttggtgg angaagtttt 1020  
 312 tttaannttt taaggctngn ngaaacnggn tttaatttt ttgggncnan cgctntccc 1080  
 314 cggtagcagg aaaatcagga cctnttttg gggngngcn ccnacnggg ggnaaaangg 1140  
 316 gaaatttct canaaaaaat ctttccggn nnnngtgaag catcagggcc tgaacaagaa 1200  
 318 catcaacctg gactctgagg atgggatgcc agtggcaagc actgatcagt ggagtgaact 1260  
 320 gaccgaggca gagcgactcc aagagaacct tcaagcttat cgtaccttc atgttttggt 1320  
 322 ggccaggctc ttagaagacc agcaggtgca ttttacccca accgaagggt acttccatca 1380  
 324 agctatacat acccttcttc tccaagtcgc tgcctttgca taccagatag aggagttaat 1440

RAW SEQUENCE LISTING ERROR SUMMARY  
 PATENT APPLICATION: US/09/957,458B

DATE: 05/13/2003  
 TIME: 16:15:16

Input Set : A:\US09957458.ST25.txt  
 Output Set: N:\CRF4\05132003\I957458B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. ~~39,40,41,87,650,657,679,723,762,764,792,834,858,863,874,880~~  
 Seq#:1; N Pos. ~~891,904,918,927,929,935,944,954,959,967,968,969,972,994,1003~~  
 Seq#:1; N Pos. ~~1012,1026,1027,1038,1040,1041,1047,1050,1066,1068,1070,1076~~  
 Seq#:1; N Pos. ~~1104,1114,1115,1117,1120,1123,1126,1133,1138,1149,1153,1169~~  
 Seq#:1; N Pos. ~~1170,1171,1172,1173,1174,1664,1665,1666,1667,1668~~  
 Seq#:3; N Pos. 35,36,82,645,652,674,718,757,759,787,829,853,858,869,875,886  
 Seq#:3; N Pos. 899,913,922,924,930,939,949,954,962,963,964,967,989,998,1007  
 Seq#:3; N Pos. 1021,1022,1033,1035,1036,1042,1045,1061,1063,1065,1071,1099  
 Seq#:3; N Pos. 1109,1110,1112,1115,1118,1121,1128,1133,1144,1148,1164,1165  
 Seq#:3; N Pos. 1166,1167,1168,1169,1659,1660,1661,1662,1663  
 Seq#:6; N Pos. 466,467,468,469,470,471,472,473,474,475,476,2280,2281,2282  
 Seq#:6; N Pos. 2283,2284,2285,2286,2287,2288,2289,2290

**VERIFICATION SUMMARY**

PATENT APPLICATION: US/09/957,458B

DATE: 05/13/2003

TIME: 16:15:16

Input Set : A:\US09957458.ST25.txt

Output Set: N:\CRF4\05132003\I957458B.raw

L:278 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0  
M:341 Repeated in SeqNo=1  
L:1046 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0  
M:341 Repeated in SeqNo=3  
L:1834 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:420  
M:341 Repeated in SeqNo=6